

BIBLIOGRAFÍA

- Abbasi, H.; Ehsani, M.; Mohamad, S.; Mousavi, E.; Dhomed, Z.; Vaziri, M. (2007). Influence of exopolysaccharide producing starter cultures and incubation temperatures on the physical and rheological properties of low fat set type yogurt. *Book of Abstracts European Congress of Chemical Engineering (ECCE-6)*, p.1-4, Copenhagen, 16-20 September.
- Abdelkader, D. (2006). Assimilation (*in vitro*) of cholesterol by yogurt bacteria. *Ann Agric Environ Med*, 13: 49-53.
- Abou-Arab, E.; Abou, A.; Abu, F. (2010). Physico-chemical assessment of natural sweeteners steviosides produced from *Stevia rebaudiana bertoni* plant. *African Journal of Food Science*, 4:269- 281.
- Achanta, K.; Kayanush, J.; Aryana, J.; Boeneke, C. (2007). Fat free plain set yogurts fortified with various minerals. *LWT* 40: 424-429.
- Adolfsson, O.; Meydani, S.; Russell, R. (2004). Yogurt and gut function. *American Journal Clinical Nutrition*, 80: 245-256.
- Ai, L.; Zhang, H.; Guo, B.; Chen, W.; Wu, Z.; Wu, Y. (2008). Preparation partial characterization and bioactivity of exopolysaccharides from *Lactobacillus casei*. *LC2W Carbohydrate Polymers* 74: 353-357.
- Almanza, F.; Barrera, E. (1991). *Tecnología de leche y derivados*. Bogotá: Unisur: 61-66.
- Amatayakul, T.; Halmos, A.; Sherkat, F.; Shah, N. (2006). Physical characteristics of yoghurts made using exopolysaccharide-producing starter cultures and varying casein to whey protein ratios. *Internal Dairy J*, 16: 40-51.
- Amaya, S.; Martínez, A.; Zazueta, J.; Martínez, F. (2008). Acid thinned jicama and maize starches as fat substitute in stirred yogurt. *LWT*, 41:274-1281.
- Anzaldúa, A. (2005). *La evaluación sensorial de los alimentos en la teoría y la práctica*. Editorial Acribia.
- AOAC (1990). *The official and recommended practices of the AmericanChesmest's Society*.
- Arltoft, D.; Madsen, F.; Ipsen, R. (2008). Relating the microstructure of pectin and carrageenan in dairy desserts to rheological and sensory characteristics. *Food Hydrocolloids*, 22: 660-673.

- Arribas, M.; Polo, C. (2008). Ocurrence of lactic acid bacteria and biogenic amines in biologically aged wines. *Food Microbiology*, 25:875-881.
- Axelsson, L. (1993). Lactic acid bacteria classification and physiology. Salminen, S. y von Wright, A. Ed. Nueva York:Marcel Dekker.
- Bakalinsky, A.; Nadathur, R.; Carney, J.; Gould, S.(1996).Antimutagenicity of yogurt. *Mutation Research*, 350: 100-199.
- Bedolla, S.; Dueñas, C.; Esquivel, I.; Favela, T.; Guerrero, R.; Mendoza, E.; Navarrete, L.; Olguín, J.; Ortiz, O.; Pacheco, P.; Quiroz, M.; Ramírez, A.; Trujillo, M. (2004). *Introducción a la Tecnología de los Alimentos*. México:,Limusa.
- Benjumea, M. y Correa, I. (2011). *Edulcorantes*. Disponible en http://promocionsalud.ucaldas.edu.co/downloads/Revista%206_6.pdf.Consultado el 15 de noviembre de 2011.
- Bernal, I. (1994). *Análisis de alimentos*. Bogotá: Academia Colombiana de Ciencias Exactas, Físicas y Naturales.
- Bertrand, C.; Ivanova, I.; Dalgalarrodo, M.; Haertle, T. (2003). Evolution of α -lactoglobulin and α -lactoalbumin content during yogurt fermentation. *International Dairy Journal*, 13:39-45.
- Blanco, S.; Pacheco, E.; Fragnas, N. (2006). Evaluación física y nutricional de un yogurt con frutas tropicales bajo en calorías. *Revista Facultad Agronomía* (Maracay, Venezuela), 32:131-144.
- Bouzar, F.; Cerning, J.; Desmazeaud, M. (1997).Exopolysaccharide production and texture-promoting abilities of mixed-strain starter cultures in yogurt production. *Journal Dairy Science*, 80: 2310-2317.
- Briceño, A.; Martínez, R.; García, K. (2001).Viabilidad y actividad de la flora láctica (*Streptococcus salivarius* ssp *thermophilus* y *Lactobacillus delbrueckii* ssp *bulgaricus*) del yogurt en Venezuela. *Acta Científica Venezolana*, 52: 46–54.
- Briczinski, E. y Roberts, R. (2002). Production of an exopolysaccharide-containing whey protein concentrates by fermentation of whey. *J. Dairy Sc.*, 85:3189-3197.
- Broadbent, J.; Mcmahon, D.; Welker, D.; Oberg, C.; Moineau, S. (2003). Biochemistry, genetics, and applications of exopolysaccharide production in *Streptococcus thermophilus*: a review. *J. Dairy Sc.*, 86:407-423.
- Calderón, O.; Padilla, C.; Chaves, C.; Villalobos, L.; Arias, M. (2007). Evaluación del efecto del cultivo probiótico *Lactobacillus rhamnosus* adicionado a yogurt natural

- y con probióticos comerciales sobre poblaciones de *Staphylococcus aureus*, *Escherichia coli* O157:H7, *Listeria monocytogenes* y *Salmonella enteritidis*. *Archivos Latinoamericanos de Nutrición*, 57: 51-55.
- Campo, R.; Bravo, D.; Cantón, R.; Ruiz, P.; García, R.; Montesi, A.; Yuste, F.; Abraira, V.; Baquero, F. (2005). Scarce Evidence of Yogurt Lactic Acid Bacteria in Human Feces after Daily Yogurt Consumption by Healthy Volunteers. *Applied and Environmental Microbiology*, 71: 547-549.
- Castillo, M.; Borregales, C.; Sánchez, M. (2004). Influencia de la pectina sobre las propiedades reológicas del yogur. *Revista de la Facultad de Farmacia*, 46:33-37.
- Castro, L. y Rovetto, C. (2006). Probióticos: utilidad clínica. *Colombia Médica*, 37:15-22.
- Charoenrein, S.; Tatirat, O.; Muadklay, J. (2008). Use of centrifugation-filtration for determination of syneresis in freeze-thaw starch gels. *Carbohydrate Polymers*, 73: 143-147.
- Devlieghere, F.; Vermeiren, L.; Debevere, J. (2004). New preservation technologies: Possibilities and limitations. *Review International Dairy Journal*, 14: 273-285.
- Díaz, B.; Sosa, M.; Vélez, J. (2004). Efecto de la adición de fibra y la disminución de grasa en las propiedades fisicoquímicas de yogur. *Revista Mexicana de Ingeniería Química*, 3: 287-305.
- Doleires, Y.; Schaub, L.; Lacroix, C. (2005). Comparision of the functionality of Exopolysaccharides produced in situ or added as bioingredrients on yogurt properties. *J. Dairy Sc.*, 88:4146-4156.
- Duboc, P.; Mollet, B. (2001). Applications of exopolysaccharides in the dairy industry. *International Dairy Journal*, 11: 759-768.
- Dziezak, J. (1991). A focus on gums. *Food Technology*, 45: 116-132.
- Early, R. (2000). *Tecnología de los productos lácteos*. Zaragoza: Acritia.
- Elli, M.; Callegari, M.; Ferrari, S.; Bessi, E.; Cattivelli, D.; Soldi, S.; Morelli, L.; Gouplil, N. (2006). Antoine J. Survival of Yogurt Bacteria in the Human Gut. *Applied and Environmental Microbiology*, 72: 5113-5117.
- Fadela, C.; Abderrahim, F.; Ahmed, B. (2009). Physico-Chemical and rheological properties of yogurt manufactured with ewe's milk and skim milk. *African Journal of Biotechnology*, 8:1938-1942.
- Farooq, K.; Haque, Z. (1992). Effect of sugar esters on the textural properties of nonfat low calorie yogurt. *Journal Dairy Science*, 75: 2676-2680.

- Gálvez, H.; Abriouel, R.; López, N.; Omar, N. (2007). Bacteriocin-based strategies for food biopreservation. *International Journal of Food Microbiology*, 120:51-70.
- García, R.; Pozuelo, M.; Angulo, S.; Morosini, M.; Bravo, D.; Baquero, F.; Campo, R. (2008). Molecular analysis of yogurt containing *Lactobacillus delbrueckii* subsp. *bulgaricus* and *streptococcus thermophilus* in human intestinal microbiota. *American Journal Clinical Nutrition*, 87: 91-96.
- Geuns, J. (2003). Molecules of Interest: Stevioside. *Phytochemistry*, 64: 913-921.
- Girard, M.; Schaffer, C. (2007). Gelation and resistance to shearing of fermented milk: Role of exopolysaccharides. *Internal Dairy J.*, 17:666-673.
- Girard, M.; Schaffer, C. (2008). Attractive interactions between selected anionic exopolysaccharides and milk proteins. *Food Hydrocolloids*, 22:1425-1434.
- Grattepanche, F.; Audet, P.; Lacroix, C. (2007a). Enhancement of functional characteristics of mixed lactic culture producing nisin Z and exopolysaccharides during continuous fermentation of milk with immobilized cells. *J. Dairy Sc.*, 90:5361-5373.
- Grattepanche, F.; Audet, P.; Lacroix, C. (2007b). Milk fermentation by functional mixed culture producing nisin Z and exopolysaccharides in a fresh cheese model. *Internal Dairy J.*, 17:123-132.
- Gutiérrez, T.; Hoyos, O.; Páez, M. (2007). Determinación del contenido de ácido ascórbico en uchuva (*physalis peruviana L.*), por cromatografía líquida de alta resolución (CLAR). *Revista Biotecnología en el sector Agropecuario y Agroindustrial*, 5:70-79.
- Harvey, G. (1995). Sugars, sweetness, and food intake. *American Journal Clinical Nutrition*, 62: 195-202.
- Hernández, A.; Hassan, A.; Goff, H.; Mira, R.; Corredig, M. (2008). Production, isolation and characterization of exopolysaccharides produced by *Lactococcus lactis* subsp. *cremoris* JFR1 and their interaction with milk proteins: Effect of pH and media composition. *Internal Dairy J.*, 18:1109-1118.
- Hernández, A.; Robles, V.; Angulo, J.; Cruz, J.; García, H. (2007). Preparation of a whey-bases probiotic product with *Lactobacillus reuteri* and *Bifidobacterium bifidum*. *Journal Food Technology Biotechnological*, 45: 27-31.
- Hernández, J.; Rodríguez, S.; Bello, L. (2008). Obtención de jarabe fructosado a partir de almidón de plátano (*Musa paradísica L.*). Caracterización parcial. *Revista Interciencia*, 33: 372-376.

- Hill, C.; Okeeffe, T.; Ross, P. (2002). Antimicrobial factors produced by lactic acid bacteria. *Encyclopedia of Food Sciences and nutrition*, 14:273-285.
- Hong, S.; Marshall, R. (2001). Natural exopolysaccharides enhance survival of lactic acid bacteria in frozen dairy desserts. *J. Dairy Sc.*, 84:1367-1374.
- Hoolihan, L. (2001). Prophylactic and therapeutic uses of probiotics: A review. *Journal of the American Dietetic Association*, 101: 229-241.
- Hui, Y. (1993). *Dairy Science and Technology Handbook*. Vol. 2: Product manufacturing. VCH publishers, 1-53.
- Hugenholtz, J. (2008). Review the lactic acid bacterium as a cell factory for food ingredient production. *International Dairy Journal*, 18: 466-475.
- Hussain, I.; Rahman, A.; Atkinson, N. (2009). Quality comparison of probiotic and natural yogurt. *Pakistan Journal of Nutrition*, 8: 9-12.
- Izawa, N.; Hanamizu, T.; Izuka, R.; Sone, T.; Mizukoshi, H.; Kimura, K.; Chiba, K. (2009). *Streptococcus thermophilus* produces exopolysaccharides including hyaluronic acid. *J. Biosc. Bioeng.*, 2:119-123.
- Jagnow, G.; Wolfgang, D. (1991). *Introducción con experimentos modelo*. Zaragoza: Acribia.
- Kailasapathy, K. (2006). Survival of free and encapsulated probiotic bacteria and their effect on the sensory properties of yoghurt. *Lebensmittel-Wissenschaft & Technologie*, 39:1221-1227.
- Kayanush, J.; Aryanaa, B.; McGrew, P. (2007). Quality attributes of yogurt with *Lactobacillus casei* and various prebiotics. *LWT*, 40:1808-1814.
- Kohno, M.; Suzuki, S.; Tanaya, K.; Yoshino, T.; Matsuura, Y.; Asada, M.; Kitamura, S. (2009). Structural characterization of the extracellular polysaccharide produced by *Bifidobacterium longum* JBL05. *Carbohydrate polymers*, 13: 1-36.
- Kumar, P.; Mishra, N. (2004). Yoghurt powder -a review of process technology, storage and utilization. *Food and Bioproducts Processing*, 82:133-142.
- Larsson, SC.; Andersson, SO.; Johansson, JE.; Wolk, A. (2008). Cultured milk, yogurt, and dairy intake in relation to bladder cancer risk in a prospective study of Swedish women and men. *American Journal Clinical Nutrition*, 8:1083-1087.
- Laurent, M.; Boulenger, P. (2003). Stabilization mechanism of acid dairy drinks (ADD) induced by pectin. *Food Hydrocolloids*, 17: 445-454.

- Laws, Y.; Gu, Y.; Marshall V. (2001). Biosynthesis, characterization, and design of bacterial exopolysaccharides from lactic acid bacteria. *Biotechnology Advances*, 19: 597-625.
- López-Malo, A. (2000). *Manual de prácticas de análisis de los alimentos*. Puebla, México: Universidad de las Américas.
- Ly, M.; Covarrubias, M.; Dur, C. ; Bordet, S. ; Voilley, A. ; Le, T. ; Berlin, M. ; Wache, Y. (2008). Retention of aroma compounds by acid lactic bacteria in models food media. *Food Hydrocolloids*, 22: 211-217.
- Macedo,M.; Lacroix, C. ;Gardner, N. ;Champagne, C. (2002). Effect of medium supplementation on exopolysaccharide production by *Lactobacillus rhamnosus*RW-959M in whey permeate. *Internal Dairy J.*, 12: 419-426.
- Mahmood, A.; Abbas, N.; Gilani, A.(2008). Quality of stirred buffalo milk yogurt blended with apple and banana fruits. *Pakistan Journal Agricultural Science*, 45: 275-279.
- Martensson, O. ; Dueñas, M. ; Irastorza, A. ; Oste, R. ; Holst, O. (2003). Comparison of growth characteristics and exopolysaccharide formation of two lactic acid bacteria strains, *Pediococcus damnosus* 2.6 and *Lactobacillus brevis* G-77, in an oat-based, nondairy medium. *Lebensm.Wiss. U.Technol.*, 36:353-357.
- Martini, M.; Kukielka, D.; Savaiano, D. (1991).Lactose digestion from yogurt: influence of a meal and additional lactose. *American Journal Clinical Nutrition*,53: 1253-1258.
- Marshall, V.; Laws, A.; Gu, Y.; Levander, F.; Radstrom, P.; Vuyst, L.; Degeest, B.; Vanngelgem, F.; Dunn, H.; Elvin, M. (2001). Exopolysaccharide-producing strains of thermophilic lactic acid bacteria cluster into groups according to their EPS structure. *Letters in Appl. Microbiol*, 32:433-437.
- Mata, J.; Béjar, V.; Llamas, I.;Arias, S.; Bressollier, P.; Tallon, R.; Urdaci, M.; Quesada, E. (2006).Exopolysaccharides produced by the recently described halophilic bacteria *Halomonas ventosae* and *Halomonas anticariensis*. *Res. Microbiology*, 157:827-835.
- Mathur, S.; Singh, R. (2005).Antibiotic resistance in food lactic acid bacteria—a review—. *International Journal of Food Microbiology*, 105: 281-295.
- Mendoza, N.; Trujillo, N.; Osorio, D. (2007). Evaluación del almidón de ñame espino (*dioscorea rotundata*) como estabilizante en la elaboración de yogurt entero tipo batido. *Revista Bistua*, 5:97-105.

- Moreno, T. (2006). Proyecto de producción del cultivo de sagú (*canna edulis*, familia *cannáceas*) en el municipio Jáuregui, estado Táchira. Disponible en internet: http://www.funtha.gov.ve/doc_pub/doc_247.pdf.
- Myers, D. (2007). Therapeutic Review Probiotics. *Journal of Exotic Pet Medicine*, 16: 195-197.
- Neira, E. y López, J. (2001). *Guía técnica para la elaboración de productos lácteos*. Bogotá: Litografía Enzas.
- Noni, I.; Pellegrino, L.; Masotti, F. (2004). Survey of selected chemical and microbiological characteristics of (plain or sweetened) natural yoghurts from the Italian market. *Lait*, 84: 421-433.
- Olson, D.; Aryana, K. (2008). An excessively high *Lactobacillus acidophilus* inoculation level in yogurt lowers product quality during storage. *LWT*, 41: 911-918.
- Ozkaya, F.; Aslim, B.; Ozkaya, M. (2007). Effect of exopolysaccharides (EPS) produced by *Lactobacillus delbrueckii* susp. *bulgaricus* strains to bacteriophage and nisin sensitivity of the bacteria. *LWT*, 40: 564-568.
- Parra, R. (2009). Lactosuero: Importancia en la industria de alimentos. *Revista Facultad Nacional Agronomía, Medellín*, 62(1): 4967-4982.
- Pasquel, A. (2001). Gomas: una aproximación a la industria de alimentos. *Revista Amazónica de Investigación Alimentaria*, 1: 1-8.
- Péant, B.; Lapointe, G.; Gilber, C.; Atlan, D.; Ward, P.; Roy, D. (2005). Comparative analysis of the exopolysaccharide biosynthesis gene clusters from four strains of *Lactobacillus rhamnosus*. *Microbiol.*, 151: 1839-1851.
- Pérez, E.; Serralde, E.; Meléndez, M. (2007). Efectos benéficos y deletéreos del consumo de fructosa. *Revista de Endocrinología y Nutrición*, 15: 67-74.
- Pérez, R.; Carrasco, M. (2006). Crecimiento in vitro de *Streptococcus mutans* y *Lactobacillus acidophilus* en medios que contengan edulcorantes artificiales. *Kiru*, 3:2-6.
- Pescumma, M.; Herbet, E.; Mozzi, F.; Font, G. (2008). Whey fermentation by thermophilic lactic acid bacteria: Evolution of carbohydrates and protein content. *Food Microbiology*, 25: 442-451.
- Petersen, B.; Dave, R.; McMahon, D.; Oberg C.; Broadbent, J. (2000). Influence of capsular and ropy exopolysaccharide-producing *Streptococcus thermophilus* on mozzarella cheese and cheese whey. *J. Dairy Sc.*, 83: 1952-1956.

- Pinzón, I.; Fischer, G.; Corredor, G. (2007). Determinación de los estados de madurez del fruto de la gulupa (*Passiflora edulis*). *Agronomía Colombiana*, 25: 83-95.
- Porto, J.; Andre, H. (2007). Different sweeteners in peach nectar: Ideal and equivalent sweetness. *Food Research International*, 40: 1249-1253.
- Prabhakar, V.; Das, S.; Sen, R. (2009). An exopolysaccharide from a probiotic: biosynthesis dynamics, composition and emulsifying activity. *Food Res. International*, 7: 1-23.
- Ramasubramanian, L.; Restuccia, C.; Deeth, H. (2008). Effect of calcium on the physical properties of stirred probiotic yogurt. *Journal Dairy Science*, 91: 4164-4175.
- Ramírez, R. (2006). *Química de alimentos*. Bogotá: UNAD.
- Reiff, C.; Kelly, D. (2010). Inflammatory bowel disease, gut bacteria and probiotic therapy. *International Journal of Medical Microbiology*, 300: 25-33.
- Robitaille, G.; Moineau, S.; Gelais, D.; Vadeboncoeur, C.; Britten, M. (2006). Detection and quantification of capsular exopolysaccharides from *Streptococcus thermophilus* using lectin probes. *J. Dairy Sc.*, 89:4156-4162.
- Rodríguez, M.; Sánchez, J.; Campelo, A.; Martínez, B.; Rodríguez, A.; Gil, A. (2008). Structure of the high-molecular weight exopolysaccharide isolated from *Lactobacillus pentosus* LPS26. *Carbohydrate Res.*, 343:3066-3070.
- Ruiz, J.; Ramírez, A. (2009). Elaboración de yogurt con probióticos (*Bifidobacterium* spp. y *Lactobacillus acidophilus*) e inulina. *Revista Facultad Agronomía (LUZ)*, 26: 223-242.
- Sahan, N.; Yasarb, K.; Hayaloglu, A. (2008). Physical, chemical and flavour quality of non-fat yogurt as affected by a β -glucan hydrocolloidal composite during storage. *Food Hydrocolloids*, 22: 1291-1297.
- Saint-Eve, A.; Lévy, C.; Moigne, M.; Ducruet, V.; Souchon, I. (2008). Quality changes in yogurt during storage in different packaging materials. *Food Chemistry*, 110: 285-293.
- Salvador, A.; Fiszman, S. (2004). Textural and sensory characteristics of whole and skimmed flavored set-type yogurt during long storage. *Journal Dairy Science*, 87: 4033-4041.
- Salvaterra, M.; Molina, A.; Gamboa, M.; Arias, M. (2004). Evaluación del efecto de cultivos probióticos presentes en yogurt sobre *Staphylococcus aureus* y la producción de termonucleasa. *Archivos Latinoamericanos de Nutrición*, 54: 298-302.

- Sanabria, A.; Martínez, J.; Díaz, J. (2009). Cáncer de colon: análisis del costo de enfermedad para los estadios III y IV en cancercoop IPS. *Revista Colombiana de Ciencias Químicas Farmacéuticas*, 38: 193-214.
- Savadogo, A.; Ouattara, C.; Bassole, T.; Traore, A. (2006). Review Bacteriocins and lactic acid bacteria –a mini review–. *African Journal Biotechnological*, 5:678-683.
- Schutten, G.; Faber, E.; Smit, E.; Bonting, S.; Smith, M.; Brink, T.; Kamerling, J.; Vliegenthart, G.; Dijkhuize, L. (1999). Biochemical and Structural Characterization of the Glucan and Fructan Exopolysaccharides Synthesized by the *Lactobacillus reuteri* Wild-Type Strain and by Mutant Strains. *Applied and Environmental Microbiology*, 65:3008-3014.
- Sehar, I.; Kaul, A.; Bani, S.; Chandra, H.; Saxena, A. (2008). Immune up regulatory response of a non-caloric natural sweetener, stevioside. *Chemico-Biological Interactions* 1-7.
- Shah, N. (2003). Yogurt: the product and its manufacture. *Encyclopedia of Foods Science and Nutrition*. Elsevier.
- Shana, N.; Yasarb, K.; Hayaloglu, A. (2008). Physical, chemical and flavour quality of non-fat yogurt as affected by a β -glucan hydrocolloidal composite during storage. *Food Hydrocolloids*, 22: 1291-1297.
- Sigman, M.; Morita, J. (2003). Defining and interpreting intakes of sugars. *American Journal Clinical Nutrition*, 78: 815-826.
- Simitaru, I.; Segal, R. (2007). Researches concerning the biosynthesis of exopolysaccharides in the fermented dairy products with the yogurt culture yf-1 811. *Bull. USAMV-CN*, 63:540-545.
- Sodini, I.; Montella, J.; Tong, P. (2005). Physical properties of yogurt fortified with various commercial whey protein concentrates. *Journal Science Food Agriculture*, 85: 853-859.
- Soto, A.; Val, S. (2002). Extracción de los principios edulcorantes de la *Stevia rebaudiana*. *Revista de Ciencias Agrarias y Tecnología de los Alimentos*, 20:5-9.
- Soukoulis, C.; Panagiotidis, P.; Kourelis, R.; Tzia, C. (2007). Industrial Yogurt Manufacture: Monitoring of Fermentation Process and Improvement of Final Product Quality. *Journal Dairy Science*, 90: 2641-2654.
- Supavititpatana, P.; Wirjantoro, T.; Apichartsrangkoon, A.; Raviyan, P. (2008). Addition of gelatin enhanced gelation of corn-milk yogurt. *Food Chemistry*, 106: 211-216.
- Shane, N.; O'connor, J.; Eyres, L. (2006). Application of emulsifiers/ stabilizers in dairy

products of high rheology. *Advances in Colloid and Interface Science*, 123: 433-437.

Sheu, B.; Cheng, H.; Kao, A.; Wang, S.; Yang, Y.; Yang, H.; Jong, J. (2006). Pretreatment with *Lactobacillus* and *Bifidobacterium*-containing yogurt can improve the efficacy of quadruple therapy in eradicating residual *Helicobacter pylori* infection after failed triple therapy 1-3. *American Journal Clinical Nutrition*, 83: 864-869.

Smitinont, T.; Tansakul, S.; Tanasupawat, S.; Keeratiipibul, L.; Bosco, M.; Cescutti, P. (1999). Exopolysaccharide-producing lactic acid bacteria strains from traditional thai fermented foods: isolation, identification and exopolysaccharide characterization. *Internal J. Food Microbiology*, 51:105-111.

Tamine, A.; Robinson, R. (1991). *Yogur ciencia y tecnología*. Zaragoza, España: Acribia.

Tamime, A. (2003). Yogurt-based products. *Encyclopedia of Foods Science and Nutrition*. Elsevier.

Tayeb, T.; Khodair, T. (2006). Enhance production of some microbial exopolysaccharides by various stimulating agents in batch culture. *Res. J. Agric. Biolog. Sc*, 2:483-492.

Uyeno, Y.; Sekiguchi, Y.; Kamagata, Y. (2008). Impact of consumption of probiotic lactobacilli-containing yogurt on microbial composition in human feces. *International Journal of Food Microbiology*, 122:16-22.

Vadeboncoeur, C.; Moineau, S. (2004). The relevance of genetic analysis to dairy bacteria: building upon our heritage. *Microbial Cell Factories*, 3-15.

Vuyyst, L.; Zamfir, M.; Mozzi, F.; Adriany, T.; Marshall, V.; Degeest, B.; Vanngelgem, F. (2003). Exopolysaccharide producing *Streptococcus thermophilus* strains as functional starter cultures in the production of fermented milks. *Internal Dairy J.*, 13:707-717.

Walstra, P.; Geurts, T.; Noomen, A.; Jellema, A.; Boekel, J. (2001). Ciencia de la leche y tecnología de los productos lácteos. Zaragoza, España.

Wang, K.; Li, S.; Liu, C.; Perng, D.; Su, Y.; Wu, D.; Jan, C.; Lai, C.; Wang, T.; Wang, W. (2004). Effects of ingesting *Lactobacillus*- and *Bifidobacterium*-containing yogurt in subjects with colonized *Helicobacter pylori*. *American Journal Clinical Nutrition*, 80: 737-741.

Welman, D.; Madook, S. (2003). Exopolysaccharides from lactic acid bacteria: perspectives and challenges. *Rev. Trends Biotechn.*, 38:67-79.

Wilches, A. (2004). Caracterización preliminar de enzimas relacionadas con la síntesis

- de exopolisacáridos producidos por *Raoultella terrigena* y *Pseudomonas fluorescens*. *Rev. Acad. Col. Ciencias*, 28:577-583.
- Wungrath, J.; Pianmongkhol, A.; Wirjantoro, T. (2009). Effect of probiotic added goat and cow milk yogurt consumption on immunoglobulin a (IgA) induction in healthy adolescents. *Journal Health Resources*, 23: 5-9.
- Yuan, Y.; Zhang, L.; Dai, Y.; Yu, J. (2007). Physicochemical properties of starch obtained from *Dioscorea nipponica* Makino comparison with other tuber starches. *Journal of Food Engineering*, 82:436–442.
- Yuksekdag, Z.; Aslim, B. (2008). Influence of different carbon sources on exopolysaccharide production by *Lactobacillus delbrueckii* subsp. *bulgaricus* (B3, G12) and *Streptococcus thermophilus* (W22). *Brazilian Archives Biol. Technol.*, 51:581-585.
- Zahoor, T.; Rahman, S.; Farooq, U. (2003). Viability of *Lactobacillus bulgaricus* as Yoghurt Culture Under Different Preservation Methods. *International Journal of Agriculture and Biology*, 5: 46-48.
- Zambou, N.; Nour, A.; Mbiapo, T.; Morsi, S. (2004). Effect of ropy and capsular exopolysaccharides producing strain of *Lactobacillus plantarum* 162 rm on characteristics and functionality of fermented milk and soft kareish type cheese. *African J. Biotech.*, 3:512-518.
- Zare, F.; Boye, J.; Orsat, V. (2011). Microbial, physical and sensory properties of yogurt supplemented with lentil flour. *Food Research International*, 44:2482-2488.
- Ziarno, M.; Sekul, E.; Lafraya, A. (2008). Cholesterol Assimilation by Commercial Yoghurt Starter Cultures. *Acta Sci. Pol Technol. Aliment*, 6: 83-94.
- Zisu, B.; Shah, P. (2003). Effects of pH, temperature, supplementation with whey protein concentrate, and adjunct cultures on the production of exopolysaccharides by *Streptococcus thermophilus* 1275. *J. Dairy Sc.*, 86: 3405-3415.